

*Grote  
roofdieren  
Europa &  
Noord Amerika*

---





*Canada*

---

*Grizzly*



# *Range*

*USA: 30.000*

*Canada: 25.000*

*rizzly Bear*



# *Grizzly / Brown Bear*

*Lengte 1,90*

*Schouderhoogte 1,30*

*Gewicht: Vrouwtjes 200 kg*

*Mannetjes 250-350 kg*

*Tot 280 lang, 3,20 rechtop staand en 700 kg  
(Kodiak)*

---





—  
A rolled rock –  
left by a bear  
trying to get at  
the bugs and  
grubs that live  
underneath

# *Waar let je op* *Bruine beer en zwarte beer*

---



—  
A carcass,  
covered by earth



—  
Dogwood, bent  
by bears eating  
the berries  
from it



Black bear track

Bear scat full of buffaloberries, a common food source in late summer



Dug-up ant hill

—  
Grizzly bear  
track



—  
Bear scat full  
of vegetation,  
a common  
food source in  
spring and early  
summer

—  
Crows, ravens or  
magpies – may  
be lingering  
over an animal  
carcass that a  
bear could be  
feeding on





# *Black Bear*





*Black Bear*





# *Black Bear*

*Lengte: 1,70*

*Schouderhoogte: 95 cm*

*Gewicht: 170 kg*

*Vrouwtjes 1/3e minder*

---

# *Range*

*Canada: 380.000*

*USA: 220.000*



# Black Bear



Front claw  
1-2" long

Front track

Tall ears  
Straight face profile

No prominent shoulder hump



Short claws

©2011 Center for Wildlife Information, Thanks to Clark Barthelemy

# Grizzly Bear



Front claw  
2-4" long

Front track

Short rounded ears  
Dished face profile

Shoulder hump



Long claws

**Color and Size can be misleading.**  
**Look for a combination of characteristics.**

*Cougar*  
*(Poema)*

---



# Poema

*Lengte: 2,30 (inc staart 75 cm)*

*Gewicht: 50-70 kg (tot 100 kg)*


*Vrouwtjes 25% kleiner*



# *Range*

*Canada: 10.000*

*USA: 30.000*



*Canadian  
Lynx*

---



# *Canadian Lynx*

*Length: 90 cm*




*Gewicht: 11 kg*

---



# *Range*

---

-  Resident
-  Possibly resident
-  Reintroduced



*Bobcat*  
*(Rode Lynx)*

---



# *Bobcat*

*Lengte 80 cm*  
*gewicht: < 10 kg*

---



# *Range*

---



# *Coyote*

---



# Coyote

*Lengte: 1,20 (inc staart 25 cm)*

*Gewicht: 15-20 Kg*

---



*Range*



# Coyote



A pack of grey wolves is gathered in a shallow stream within a dense forest. One wolf is on the grassy bank to the left, while others are in the water or on the opposite bank. The forest is filled with tall evergreen trees and some autumn-colored foliage. The scene is captured from an elevated perspective.

# *Grey Wolf*

---



# *Grey Wolf*

*Lengte 1.75 (in staart 45 cm)*

*Schouderhoogte 70-100 cm*

*Gewicht: 35-70 Kg (max 100 kg)*

















































Historical distribution



Present distribution



-  *C. l. alces* 
-  *C. l. arctos* 
-  *C. l. baileyi* 
-  *C. l. beothocus* 
-  *C. l. bernardi* 
-  *C. l. columbianus* 
-  *C. l. crassodon* 
-  *C. l. griseoalbus/occidentalis* 
-  *C. l. fuscus* 
-  *C. l. hudsonicus* 
-  *C. l. irremotus* 
-  *C. l. labradorius* 

-  *C. l. ligoni* 
-  *C. l. lycaon* 
-  *C. l. mackenzii* 
-  *C. l. manningi* 
-  *C. l. mogollensis* 
-  *C. l. monstrabilis* 
-  *C. l. nubilus* 
-  *C. l. pambasileus* 
-  *C. l. orion* 
-  *C. l. tundrarum* 
-  *C. l. youngi* 

# Subspecies

# Range

Canada: 60.000

Alaska: 8000

USA rest: 7500



# *Wolverine*

---






# *Wolverine*

*Lengte 100 cm (staart 20 cm)*

*Gewicht 15 kg*



# *Range*





*Europa*

---

# *Bruine Beer*



# Verspreiding

Lengte 1,20-2,50

Schouderhoogte: 60 cm – 1,35

---




...ce, status uncertain

Region:

...urveyed

No data collected



*Karpaten: 7000*  
*Zweden (Noorwegen): 3400*  
*Pindus en Dinara: 3000*  
*Finland: 1600*  
*Baltische staten: 700*  
*Balkan: 700*  
*Cantabrisch gebergte: 300*  
*Alpen: 50*  
*Apennijnen: 50*  
*Pyreneeën: 30*

*Europees Rusland: 36.000*



# *Lynx*


*lengte tot 1,50*

*Schouderhoogte tot 70cm*

*Gewicht tot 35 kg*

---





# *Verspreiding*

---

A photograph of an Iberian lynx in its natural habitat. The lynx is captured in a dynamic pose, possibly leaping or running, with its body angled towards the right. Its fur is a mix of brown and tan, adorned with dark, irregular spots and stripes. The lynx's eyes are a striking yellow-green, and its ears are large and pointed. The background consists of dry, light-colored earth and sparse, scrubby vegetation. The overall scene is brightly lit, suggesting a sunny day.

*Iberische Lynx*

---




# *Iberische Lynx*

*Length: tot 100 cm*

*Gewicht: tot 15 kg*



*Verspreiding*  
*2002: 94*  
*2021: > 1000*



# *Goud Jakhals*


---



# *Verspreiding*

*Lengte: tot 85 cm*  
*Gewicht tot 14 kg*

---



*Wolf*

---





# *Wolf*

*Lengte: 100 cm*


*Schouderhoogte: 55-80 cm*

*Gewicht: Tot 60 kg (26-43 kg)*

# Verspreiding




# Ondersoorten



*Veelvraat*





*Verspreiding*





*Kudde  
bescherming  
honden*